

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 3 1983

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAY 3 1983The applicant County of Clark - James L. Scholl, Jr., Agent401 South 4th Street, of Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada, 89101

State and Zip Code No.

_____, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Clark County, Nevada a
governmental entity.

1. The source of the proposed appropriation is Underground Sources
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.25-c.f.s. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for Quasi-Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated: _____

(b) Stockwater, state number and kinds of animals to be watered: _____

(c) Other use (describe fully under "No. 12. Remarks" _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: The southwest Quarter (SW¼) of the
Southeast Quarter (SE¼) of Section 12, Township Describe as being within a 40-acre subdivision of public
32 South, Range 66 East, M.D.M., Clark County, Nevada or at a point from which the
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. South Quarter corner (S¼)
of said Section 12 bears South 39°01'45" West a distance of 402.46 feet.

6. Place of use Government Lot 14, 15, Said Government lots being in the South Half (S½)
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
of the Southwest Quarter (SW¼) of Section 12, Township 32 South, Range 66 East,
M.D.M., Clark County, Nevada; together with a portion of Government Lot 16, Said
Government lot 16 being in the Southwest Quarter (SW¼) of the Southeast Quarter (SE¼)
of Section 12 Township 32 South, Range 66 East, M.D.M., Clark County, Nevada.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8 inch cased well, 5 HP Pump pressure
State manner in which water is to be diverted, i.e. diversion structure, ditches and
tank, fire hydrant, water lines, etc.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000

10. Estimated time required to construct works. 1 year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use. 3 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Quasi- Municipal - Fire Station, Police Station, and living quarters for

Fire, Police and other County and/or State Employees required to

reside in Laughlin, Nevada

NEVADA WATER RIGHTS SURVEYOR NO. 313

By s/James L. Scholl, Jr.

JAMES L. SCHOLL, JR.

401 South 4th Street

Las Vegas, NV 89101

Compared js/bl ja/bc

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a (2) two-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

In the event that such an entity or water district is not available to provide service within five (5) years from the date of issuance of this permit, the permittee is required to proceed to obtain a water supply from the Colorado River-Lake Mead which is the alternate source identified for the basis of the issuance of this revocable permit. The specific date of revocation of this permit will be determined upon a good faith and diligent effort to secure an alternate water source. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed 0.25 cubic feet per second, but not to exceed 5.48 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 6, 1984

Proof of completion of work shall be filed before October 6, 1984

Application of water to beneficial use shall be made on or before September 6, 1987

Proof of the application of water to beneficial use shall be filed on or before October 6, 1987

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____ my office, this 6th day of SEPTEMBER,

Cultural map filed _____

Certificate No. _____ Issued _____

A.D. 19 83

[Signature]
 State Engineer

218 (Rev.)

WITHDRAWN BY APPLICANT OCT 18 1984

[Signature]
 STATE ENGINEER

. This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

